

MAINTENANCE SCHEDULE

Location	Part of building	Check for	Primary maintenance tasks (in order of frequency required, from most frequent to least frequent)	Frequency
Roof	Roof cladding/flashings	<ul style="list-style-type: none"> • corrosion • moss/lichen growth • dirt/salts • lifted roofing/flashings • loose/missing fixings • water ponding (flat roofs) • faded paint • dented or damaged roofing • roof tearing at fixing points • gaps or cracks around roof penetrations • cracked, missing or dislodged roof tiles or shingles • roofing that ends short of a gutter • loss of stone chips on metal tile roofs. 	inspect and wash	yearly
			repair faults found	as required
			repaint/recoat	8–15 years depending on roof finish
			reroof	as required
Chimney/flues	<ul style="list-style-type: none"> • build up of soot • crumbling mortar (chimneys) • corrosion of flue/cowl/fixings • loose fixings 	have chimney/flue swept	yearly	
		repair faults found	as required	
		replace corroded flues/consider removing unsound brick chimneys down to the roofline	as required	
Guttering/downpipes	<ul style="list-style-type: none"> • blocked gutters • broken or loose gutters or downpipes 	inspect and clean gutters. Remove overhanging tree branches	yearly or more frequently if necessary	
		repair	as required	
TV aerial/dish, PV panels, solar hot water panels	<ul style="list-style-type: none"> • loose fixings • corrosion • dirt/bird droppings/debris 	inspect and repair. Wash down PV/hot water panels	yearly	
		replace	as required	
Walls	Wall cladding	<ul style="list-style-type: none"> • dirt/salts/staining • cracked/flaking/chalking paint • moss/lichen • corrosion of flashings • corroded/missing fixings • split/cupped/rotten weatherboards • claddings touching/going into the ground • blocked vents at the base of brick walls • missing or loose sealant • loose-fitting cover boards, scribes or plugs 	inspect and wash walls	yearly, more frequently in geothermal/seaspray areas
			repair faults found	as required
			repaint	8–10 years
			reclad	as required
Doors/windows	<ul style="list-style-type: none"> • cracked/damaged putty • cracked/broken glass • cracked/flaking/chalking paint • corroded/raised/short flashings • corroded/stiff hinges/hardware • gaps around window seals or sashes • opened joints/mitres 	inspect and wash windows	yearly, more frequently in geothermal/seaspray areas	
		repair faults found	as required	
		replace hardware, sashes, window	as required	
Decks/Balconies	Enclosed balconies/waterproof decks	<ul style="list-style-type: none"> • blocked outlets • evidence of water ingress • water ponding • decking membrane deterioration 	inspect and clear blockages	yearly
			repair faults found	as required
			replace	as required
			if a leak is suspected, call a building surveyor for advice	
Open timber decks	<ul style="list-style-type: none"> • moss build-up on decking • loose balustrades/posts • corroded/missing fixings/connectors • timber rot/splintering 	inspect and clean	yearly	
		repair faults found	as required	
		replace decking	as required	
Car decks	<ul style="list-style-type: none"> • loose balustrades/posts • corroded/missing fixings/connectors • corroded steel frame • timber rot 	inspect and clean	yearly	
		repair faults found	as required	
		replace timber	as required	

MAINTENANCE SCHEDULE

Location	Part of building	Check for	Primary maintenance tasks (in order of frequency required, from most frequent to least frequent)	Frequency
Foundations/ subfloor	Foundation walls	<ul style="list-style-type: none"> cracking/damage ventilation openings blocked garden/foundation boundary overgrown 	repair faults found	as required
			clear planting/growth	yearly
	Piles	<ul style="list-style-type: none"> rotten timber corroded/missing fixings 	replace	as required
	Subfloor	<ul style="list-style-type: none"> damp ground inadequate ventilation loose wiring/pipes 	cover damp ground with plastic sheet	as required
			improve ventilation	as required
Concrete slab floor	<ul style="list-style-type: none"> inadequate ground clearance 	clear away growth	as required	
			slope ground away from building	as required
Services	Plumbing/drainage	<ul style="list-style-type: none"> leaking pipes dripping taps blocked drains/gulley traps/sinks 	repair faults found	as required
			clear blockages	as required
			relay drains	as required
	Water heating – electric storage cylinder	<ul style="list-style-type: none"> corrosion in tank 	nudge the lever of the temperature/pressure relief valve to keep it moveable	every 6 to 12 months
			with glass-lined cylinders, ask a plumber to change the anode rod	every 5 years
			replace	10–15 years
	Water heating – solar heating panels	<ul style="list-style-type: none"> leaks/ corrosion/wet insulation/dirty panels 	Wash dirty panels, cut back any shading tree branches	yearly
			repair/replace broken elements/broken glass	immediately
			specialist service	yearly
			replace	as required
	Water heating – instantaneous	<ul style="list-style-type: none"> pipework electronic ignition gas supply 	specialist service	2 years or according to manufacturer
			replace	as required
Electrical – pumps generally	<ul style="list-style-type: none"> blocked strainer pump pipework 	specialist service	6–12 months	
		replace	as required	
Electrical – heat pumps and air conditioners	<ul style="list-style-type: none"> blocked filters dirt build-up pumps pipework 	remove and clean filter	monthly during heavy use	
		specialist service	1–2 years	
		replace	as required	
Septic tank/aerated wastewater treatment system	<ul style="list-style-type: none"> pumps soakage areas 	clean filters	6 monthly	
		specialist service	6 monthly or as according to local authority/supplier	
Mechanical systems – heating/ ventilation	<ul style="list-style-type: none"> blocked filters dirt build-up pumps pipework 	remove and clean filter	Monthly during heavy use	
		specialist service	according to manufacturer's instructions	
		replace	as required	
Solid fuel	<ul style="list-style-type: none"> build up of soot in chimney/flue 	clean	yearly	
		replace flue/appliance	as required	

MAINTENANCE SCHEDULE

Location	Part of building	Check for	Primary maintenance tasks (in order of frequency required, from most frequent to least frequent)	Frequency
Interior	Internal moisture levels	Indicated by: <ul style="list-style-type: none"> • mould/mildew • condensation • musty smell 	eliminate or control sources of internal moisture	ongoing
	Borer/pests	<ul style="list-style-type: none"> • damage to timberwork 	specialist service replace timber	as required as required
	Roof space	<ul style="list-style-type: none"> • moisture/leaks • displaced insulation 	repair faults found	yearly
	Ceilings	<ul style="list-style-type: none"> • mould/mildew • water staining 	clean/redecorate reline	as required as required
	Walls/windows	<ul style="list-style-type: none"> • mould/mildew • water staining • condensation • damaged wall linings 	clean/redecorate improve ventilation reline	as required as required
	Floors	<ul style="list-style-type: none"> • damp • springy • deterioration 	as for Subfloor repair faults found	as required as required
	Floor finishes	<ul style="list-style-type: none"> • damage • deterioration 	repair faults found replace	as required as required
	Kitchens/bathrooms	<ul style="list-style-type: none"> • damaged/ • cracked sealing around fittings • mould/mildew • damage to fixtures/ fittings/ joinery 	repair faults found install rangehood/exhaust ventilator to remove steam to the outside replace fixtures/ fittings/ joinery	as required as required